

## PEX SYSTEM PRODUCT RANGE

Straight coupling		Male coupling		Female coupling		Equal Tee	
<b>9401</b>		<b>9400</b>		<b>9402</b>		<b>9407</b>	
<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>
9401032	16 x 2,2	9400324X	16 x 2,2 - 1/2	9402324X	16 x 2,2 - 1/2	9407032X	16 x 2,2
9401051	20 x 2	9400514X	20 x 2 - 1/2	9402514X	20 x 2 - 1/2	9407051X	20 x 2
		9400516	20 x 2 - 3/4				

Equal Elbow		Male Elbow		Female Elbow	
<b>9403</b>		<b>9404</b>		<b>9405</b>	
<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>
9403032	16 x 2,2	9405324	16 x 2,2 - 1/2	9404324	16 x 2,2 - 1/2
9403051	20 x 2				

Blue junction box assembled for Pex pipes		Red junction box assembled for Pex pipes		Pex Manifold		BetaPex Pipe Naked			
<b>9840CB</b>		<b>9840CR</b>		<b>9534</b>		<b>9002</b>			
<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>OUTLETS</b>	<b>SIZE</b>	<b>CODE</b>	<b>LENGHT</b>	<b>SIZE</b>
984050	16 x 2,2 - 1/2	984060	16 x 2,2 - 1/2	9534102	2	3/4 - 1/2	B614003001	100 m	16 x 2,2
984070	16 x 2,2 - 1/2	984080	16 x 2,2 - 1/2	9534102	3	3/4 - 1/2	B614006001	100 m	20 x 2
				9534104	4	3/4 - 1/2			
				9534105	5	3/4 - 1/2			

Female End Cap		Male End Cap		Blue Corrugator		Red Corrugator			
<b>8300</b>		<b>8252</b>		<b>9002GB</b>		<b>9002GR</b>			
<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>SIZE</b>	<b>CODE</b>	<b>LENGHT</b>	<b>SIZE</b>	<b>CODE</b>	<b>LENGHT</b>	<b>SIZE</b>
E211170001	3/4	E211160001	3/4	C290007001	100 m	26x3	C290008001	100 m	26x3



Abbeville, France

Nevers, France

Brescia, Italy

## COMAP, UNIQUE PARTNER OF ALL THE PLAYERS IN THE CONSTRUCTION INDUSTRY

### SUPPORT

Installers, craftsmen, design offices, architects... COMAP's technical support answers all specific questions, in support of the sales teams present in the field. Support services extending from preliminary design to installation contributes to the performance of COMAP global solutions.

### TRAINING

As an expert in climate engineering and connection solutions, COMAP has adopted a sustainable collaborative approach to support professionals in completing their projects. Sales teams offer training sessions to ensure the proper handling of each solution.

### AVAILABILITY

As a design and manufacture entity, COMAP controls all stages of production and ensures the availability of its products as soon as possible thanks to its logistics platform in Chécy. The COMAP product range is accessible thanks to a robust distribution network.

### PROXIMITY

From order taking to customer service, the COMAP customer service organisation meets all needs and provides a rapid and complete response, whatever the solution chosen.

## OUR 3 AREAS OF EXPERTISE



### COMFORT CONTROL

COMAP's control solutions make it possible to provide the right flow in the right place for heating, air-conditioning or hot water systems.



### CONNECTION

COMAP offers a wide range of complete connection systems, in PER and in copper.



### WATER QUALITY

COMAP solutions are based on soft technologies and are environment friendly, resulting in healthy and high quality water in residential buildings.

### COMAP

A leading designer-manufacturer of thermal and sanitary solutions, to improve the comfort and environmental performance of buildings.

COMAP is a European industrial group, expert in the fields of plumbing and HVAC engineering. The group's offer is based on control-regulation, connection and water quality technologies as well as a wide range of sanitary taps. Its products are designed and manufactured in the group's design offices and factories in France and Italy.

COMAP's value-added solutions integrate harmoniously into living spaces, enabling intelligent management of water and energy and contributing to the comfort and well-being of occupants.

With headquarters in France, COMAP operates internationally, with a sales network in more than 20 countries. The group has 600 employees and is the "Thermal and Sanitary Efficiency" entity of the Aalberts group.

COMAP GROUP  
16 avenue Paul Santy - BP 8211  
69355 Lyon Cedex 08, France  
04 78 78 16 00

comap-group.com  
aalberts.nl




CONTROL

CONNECTION

WATER QUALITY

Pex System






COMAP

# System PEX

a complete and proven system

## AT THE CORE OF YOUR PROJECTS



## PEX COMBINED WITH COMAP QUALITY

### QUALITY MANUFACTURING

- High-end system for optimum durability
- PEX-b pipes made in France.
- Junction boxes made in ABS.
- SKZ certification, conformity with norms EN ISO 15875. WRAS in process.

### A RELIABLE, EFFICIENT SYSTEM

- Wide range of pipes and fittings available.
- Easy and quick installation.
- Quality products: cross-linked polyethylene (PEX-b), highly resistant.


### BRASS COMPRESSION FITTINGS

- CW617N high quality brass.
- Tested and approved technology with the COMAP guarantee.



### PEX PIPING, A RANGE OF ADVANTAGES AT A REASONABLE PRICE

- Cross-linking generates excellent temperature resistance** -PEX-b can withstand temperature fluctuations over the long-term.
- Anti-corrosion** - PEX is a material that is naturally resistant to corrosion.
- Resistance** - The inner and outer layers are not affected by wear, even at high temperatures or flow rates.
- Acoustics** - PEX effectively absorbs any sounds produced by water flowing through the system and by the water hammer effect, preventing any unpleasant noises.



### PEX PIPE: GUARANTEED QUALITY, MADE BY COMAP

COMAP PEX pipes are produced exclusively in France. We have 30 years' experience, and our factory produces tens of millions of metres of top-of-the-range piping every year. Cross-linking is carried out directly in our factory, improving the properties of the polyethylene. Cross-linking heightens resistance to pressure and to temperature fluctuations. So, depending on their thickness, our pipes withstand service usage of 10 bar in temperatures up to 90°C.

## COMAP EXPERTISE FOR YOUR PROJECTS

### + EFFICIENT

- Quick installation.
- Compatible with many applications.
- Can be used in a wide temperature range, up to 95°C (according to EN ISO 15875).

### + DURABLE

- High-quality materials.
- Corrosion resistant.

### + SAFE

- Highly secured installation: no flame or smoke.
- Reliable compression fittings without sealing joint.


### + PRACTICAL

- PEX is a material that is light and easy to install.
- Excellent noise attenuation.

P - BetaPEX RETUBE PE-Xb 16 x 2,2 L51

ISO 15875 COMAP - BetaPEX RETUBE PE

## CORRUGATED PIPE



Polypropylene sheathing protects COMAP PEX pipes for applications including enclosure in walls or floors.

- Sheathing must meet the following minimum requirements:
- Crush resistance (450 Newton) in line with the NF EN 61386-1 and NF EN 61386-22 standards.
  - Sealing (liquid-tight conduit over its entire length).

Quality standard: UNI EN ISO 9002-94  
 Lambda value: 0.040 W/mK at 40°C  
 Fire resistance class: 1-UNI 9177 and UNI 8457  
 Temperature range: -35°C to +95°C

### COMAP CORRUGATED AND INSULATED PEX PIPE

- EASY: Hot-water sliding pipe, thanks to interior sheathing.
- QUICK: no need to add further insulation.
- LOW-COST: avoids energy losses.



The COMAP insulation is made of a material that does not deteriorate in any operating temperatures and which does not alter system operations regardless of the time it has been used for.

APPLICATIONS*	
	Drinking water
	Sanitary hot water
	Heating systems
	Under-floor heating and cooling
	Chilled water
	Solar heating
	Urban heating
	Water vapour
	Rainwater
	Water for industrial use
	Air gaps
	Compressed air (oil < 25 mg/m³)
	Lubricated compressed air
	Gas

\* Many other applications are available on request



### 10-YEAR WARRANTY

For its PEX systems (pipes and associated fittings), COMAP offers a manufacturer's guarantee of 10 years for all incidents in which it is responsible. For more information on the terms of the guarantee, please refer to the COMAP guarantee conditions.

COMAP